



Westinghouse



Ceiling Fan Catalogue

Contents



Light Your Way with Westinghouse 2

Ceiling fans for every room 4

Instaloc System (Design & Combine) 6

Summer and Winter Operation of Ceiling Fans 7

Ceiling Fans

Premium

Solana 9
Fanaway 9

Modern

Splendor 11
Saxton 11
Jet I 12
Jet Plus 12
Havanna 13
Trigona 13
Celestia 14
Celestia II 14
Bendan 15
Arius 15
Wave Form 16
Audubon 16
Airplane 17
Flora Royal 17
Airplane II 17
Helix Fusion 18
Hercules 18
Wengue 19
Alloy 19
Sydney 20
Sydney 20

Classic

Stiletto 22
Kingston 22
Cyclone 23
Venus 23
Pearl 24
Princess Euro 24
Comet 25
Comet 25

Traditional

Everett 27
Everett 27
Comet Tiffany 28
Comet Tiffany II 28
Jasmine 29
Princess Radiance 29
Monarch Trio 30
Princess Trio 30
Princess Trio 30

Basic

Vegas 32
Vegas 32
Portland Ambiance 33
Portland Ambiance 33
Turbo Swirl 34
Turbo II 34
Hayden 34
Industrial 35
Industrial 35
Industrial 35
Industrial 36
Premier Odyssey 36
Industrial 36

Design & Combine

Design & Combine Apollo 38
Design & Combine Apollo 39
Design & Combine Apollo 40
Design & Combine Apollo 41

Ceiling Fan Accessories

Downrods 42
Remote & Wall controls 43

Ceiling Fan Specifications 44

Index 48

Light Your Way with Westinghouse



Westinghouse

Enhance the beauty, comfort, and energy-efficiency of your home with the newest products from Westinghouse Lighting.

Our foundation is based on developing products that enhance lifestyles. Generations have trusted Westinghouse to make comfort and convenience a priority in product development. We're continuing that tradition today. Whether you're looking for fashion-forward designs or energy savings, we have the quality lighting solutions you need and want.

Design meets comfort in the latest Westinghouse Lighting product line. Our newest products include exciting elements that unite to create a more beautiful, relaxed, or energy-efficient home. While you enjoy our newest editions, we're already busy planning for the future by exploring innovative options and stylish designs that maximize form and function. In the meantime, if you need anything, our friendly customer relations team is here to help you find the perfect lighting solution. It's the Westinghouse way to provide light your way.

Whether it's a small quantity of light bulbs or a large ceiling fan order, our distribution centers ship safely and efficiently throughout Europe. We also offer the option of delivering products on a direct import basis.

Our experienced marketing team supports you in the collaboration of strategies to promote our products in your stores. We take care of in-store fan presentations and promotions.

Our multi-lingual and friendly customer service team provides assistance and support to answer all of your questions and meet your needs.

Westinghouse has been a trusted name for generations. To uphold this tradition, each product that bears our name has been engineered and thoroughly tested to meet or exceed our quality standards. Westinghouse ceiling fans fulfill CE regulations and are GS certified by independent labs like TÜV/Interteck. In addition to featuring a variety of designs that complement many home décor styles and spaces, the Westinghouse ceiling fan series includes motors, which operate silently and feature a long life.

Our commitment to quality has been fully recognized by our customers. According to a brand survey conducted by Home Furnishing News, Westinghouse ranks #2 in the "Top Lighting Brands" category and is also ranked in the "Top 150 List" of top consumer brands. ***Enjoy our current collection and find out how we can light your way!***



Ceiling fans for every room



Low ceilings

Install a hugger ceiling fan or ceiling fans without a down rod in rooms with low ceilings.



Standard ceilings

Install ceiling fans with or without a down rod in rooms with standard ceilings. See page 42 to view our full assortment of extension down rods.

SELECTING THE RIGHT SIZE CEILING FAN FOR EVERY ROOM IN YOUR HOME

Maximize air flow by installing an appropriately sized ceiling fan for your room:

For rooms up to:	12 qm	Use 30”- 36” ceiling fans.
For rooms up to:	15 qm	Use 42” ceiling fans.
For rooms up to:	20 qm	Use 44”- 48” ceiling fans.
For rooms up to:	25 - 30 qm	Use 52” ceiling fans and larger.
For rooms bigger than:	30 qm	The use of more than one ceiling fan is recommended.

Room size and ceiling height are important issues when selecting your ceiling fan. Be sure to choose a ceiling fan that best suits your home.



High ceilings

Install ceiling fans with extension down rods in rooms with high and sloped ceilings.



Sloped ceilings

See page 42 for a full assortment of extension down rods.

Fashionable, high quality ceiling fans and light kits add comfort, color, and complementary style to any room. A trusted name for over 120 years, Westinghouse guarantees the construction of its ceiling fan motors with 10 year warranty. You can be sure if it's Westinghouse.

Instaloc System

InstaLoc™
Revolutionary ceiling fan installation system

This revolutionary system makes ceiling fan installation quick and easy!

The Westinghouse InstaLoc™ ceiling fan has only approximately 15 parts and installs in minutes.



Step 1:

Attach the ceiling fan bracket to the ceiling.



Step 2:

Install the pre-assembled fan by inserting the ball hanger into the mounting bracket.
Make the wire connections, raise the canopy, and attach it to the ceiling with screws.



Step 3:

Insert the pre-assembled blade and brackets into the open slots and lock securely.

Parts of this assembly are protected by one or more of the following U.S.Patents: 6,146,191;6,027,310; Other U.S. and European patents pending.

Summer & Winter Function of a ceiling fan

Summer and Winter

Year-Round Comfort & Efficiency



Summer



Winter

For year-round comfort and maximum energy savings, Westinghouse ceiling fans* include a reversible switch that allows the ceiling fans to be used during cool or warm weather. In the summer, keep your home cool by running your ceiling fan counterclockwise. In the winter, run your ceiling fan clockwise to re-circulate warm air from the ceiling, eliminating cold spots and drafts.

* Except for Westinghouse Fanaway, the luminaire with retractable ceiling fan blades.



Unique in beauty and design, our Premium ceiling fans combine high fashion with high quality.

Premium



Solana





72161
48”/122 cm
Brushed nickel fan finish
Wengue blades
Single light fixture with opal frosted glass
2 x 40 W, E 14 (not included)
Includes remote control and reverse switch

PREMIUM



Fanaway



78013
48”/122 cm
Brushed chrome fan finish
4 scimitar shaped clear acrylic blades
Opaque acrylic light dome
T5 55 watt fluorescent tubular ring - Low energy lighting (included)
Remote control included
Runs only summer operation

Elegant and innovative, the Fanaway fan blends form and function perfectly to provide the convenience and comfort of a ceiling fan with the sleek design of a luminaire. This versatile fixture transforms nearly instantly, offering all of the benefits of a traditional ceiling fan.








The exquisitely executed sleek designs of our Modern collection capture the essence of today's lifestyle trends through cool colour tones, chic finishes, and elegant styles.

Modern



Splendor

72218
48”/122 cm
Brushed nickel fan finish
Silver/graphite blades
Includes wall control
and reverse switch





72370
42”/105 cm
Chrome fan finish
Clear acrylic blades
Single light fixture
1 x 60 W, E 27 (not included)
Includes remote control
and reverse switch


Saxton

Jet I



72289
42”/105 cm
Brushed nickel fan finish
Wengue/silver blades
Remote or wall control adaptable
Including reverse switch

Jet Plus



72290
42”/105 cm
Brushed nickel fan finish
Wengue/silver blades
3 Spot light fixture
3 x 40W,E 14-R50 (not included)
Includes remote control and reverse switch

Havanna







72546
52”/132 cm
Brushed aluminum fan finish
Silver/graphite blades
Single disc light fixture
with opal frosted glass
1 x 80 W, R7 (included)
Includes remote control and
reverse switch

Trigona





72528
48”/122 cm
Silver/black fan finish
Silver/black blades
Single drum light fixture
with frosted glass
2 x 11 W, E 27, CFL, 3U type (included)
Includes remote control and
reverse switch

Celestia



72530
44”/112 cm
Chrome fan finish
Wengue blades
Single light fixture with opal frosted glass
2 x 11 W, E 27, CFL, 3U type (included)
Includes remote control and reverse switch

Celestia II



72505
48”/122 cm
Brushed aluminum fan finish
Graphite blades
Single light fixture with opal frosted glass
2 x 11 W, E 27 CFL (not included)
Includes remote control and reverse switch



72557
52”/132 cm
Satin chrome fan finish
Wengue blades
Single disc light fixture with opal frosted glass
1 x 80 W, R7 (included)
Includes remote control and reverse switch

Bendan





72559
52”/132 cm
Chrome fan finish
White/black blades
5 light fixture with opal frosted glass
5 x 9 W, E 14, CFL, 3U type (not included)
Includes remote control and reverse switch

Arius




Wave Form



78155
52”/132 cm
Titanium fan finish
Titanium ABS blades
Single light fixture
with opal frosted glass
1 x 80 W, R7 (included)
Includes remote control and
reverse switch

Audubon



78525
48”/122 cm
Brushed nickel fan finish
Weathered maple/silver blades
3 Spot light fixture
3 x 50 W, GU 10 (included)
Remote or wall control adaptable
Including reverse switch



78174
42”/105 cm
Silver fan finish
Silver blades
Remote or wall control adaptable
Including reverse switch

Airplane



78788
30”/76 cm
Satin chrome fan finish
Silver/white blades
Single light fixture
with opal frosted glass
1 x 60 W, E 27 (not included)
Remote or wall control adaptable
Including reverse switch

Flora Royal

Airplane II



78655
42”/105 cm
Brushed nickel fan finish
Weathered maple/beech blades
Single light fixture
1 x 40 W, G9 lamp (included)
Remote or wall control adaptable
Including reverse switch

Helix Fusion



78753
52”/132 cm
Chrome fan finish
White/black blades
4 Light fixture
4 x 40 W, G9 lamp (included)
Remote or wall control adaptable
Including reverse switch

Hercules



78545
52”/132 cm
Brushed nickel fan finish
Weathered maple/beech blades
Single disc light fixture
1 x 80 W, R7 (included)
Remote or wall control adaptable
Including reverse switch

Wengue



78763
30”/76 cm
Chrome fan finish
Wengue/beech blades
Single light fixture
with opal frosted glass
1 x 80 W, R7 (included)
Remote or wall control adaptable
Including reverse switch

Alloy

78764
42”/105 cm
Gun metal fan finish
Black/graphite blades
Single light fixture
with opal frosted glass
1 x 80 W, R7 (included)
Remote or wall control adaptable
Including reverse switch



Sydney



78997
44”/112 cm
Oil-rubbed bronze fan finish
Wengue/mahogany blades
Remote or wall control adaptable
Including reverse switch

78998
44”/112 cm
Brushed nickel fan finish
Applewood/light maple blades
Remote or wall control adaptable
Including reverse switch



Sydney



Featuring soft and simple colours, the Westinghouse Classic style category represents timeless elegance.

Classic



Stiletto



72199
48”/122 cm
Iron fan finish
Rich walnut/graphite blades
Remote or wall control adaptable
Including reverse switch

Kingston



78065
42”/105 cm
Brushed aluminum fan finish
Weathered maple/silver blades
3 Spot light fixture
3 x 50 W, GU 10 (included)
Remote or wall control adaptable
Including reverse switch



Cyclone

78370
52”/132 cm
Brushed steel fan finish
Black/black with silver stripe blades
Remote or wall control adaptable
Including reverse switch



Venus

72563
42”/105 cm
Chrome fan finish
White/black blades
Disc light with smooth glass (sandblasted on inside, shiny on outside)
1 x 80W, R7 (included)
Remote or wall control adaptable
Including reverse switch

Pearl



78425
42”/105 cm
Stainless steel fan finish
Light maple/white blades
3 Spot light fixture
3 x 50 W, GU 10 (included)
Remote or wall control adaptable
Including reverse switch

Princess Euro



78622
42”/105 cm
Dark pewter/chrome fan finish
Silver/graphite blades
3 Spot light fixture
3 x 50 W, GU 10 (included)
Remote or wall control adaptable
Including reverse switch

Comet



78182
52”/132 cm
Titanium fan finish
Light maple/white blades
Disc light fixture with opal frosted glass
2 x 40 W, E 14 (not included)
Remote or wall control adaptable
Including reverse switch



78017
52”/132 cm
White fan finish
White/washed pine blades
Disc light fixture with frosted glass
2 x 40 W, E 14 (not included)
Remote or wall control adaptable
Including reverse switch

Comet



Inspired by Baroque architecture and furnishings, traditionally designed ceiling fans are characterized by distinctive details, antique accents, and rich colours, which are still popular today.

Traditional



Everett



72152
52”/132 cm
Brushed nickel fan finish
Beech/wengue blades
Single light fixture with opal frosted glass bowl
2 x 60 W, E 27, A type (not included)
Wall control adaptable
Including reverse switch

Everett



72154
52”/132 cm
Espresso fan finish
Espresso/applewood blades
Single light fixture with scavo glass bowl
2 x 60 W, E 27, A type (not included)
Wall control adaptable
Including reverse switch

Comet Tiffany



72485
52”/132 cm
Espresso fan finish
Wengue/dark cherry blades
Single light fixture with tiffany bowl
3 x 60 W, E 14 (not included)
Remote or wall control adaptable
Including reverse switch

Comet Tiffany II



72219
52”/132 cm
Brushed nickel fan finish
Antique pine/white larch blades
Single light fixture with tiffany bowl
3 x 60 W, E 14 (not included)
Remote or wall control adaptable
Including reverse switch

Jasmine



72368
42”/105 cm
Dark pewter/chrome fan finish
Weathered maple blades
Single light fixture with mushroom glass
1 x 60 W, E 27 (not included)
Includes remote control and reverse switch

Princess Radiance



72414
30”/76 cm
Dark pewter/chrome fan finish
Wengue/white blades
Single light fixture with dome glass
1 x 60 W, E 27 (not included)
Remote or wall control adaptable
Including reverse switch

Monarch Trio



78171
52”/132 cm
Polished brass fan finish
Oak cane/mahogany blades
3 Light fixture with frosted glass
3 x 60 W, E 14 (not included)
Remote or wall control adaptable
Including reverse switch

Princess Trio



78324
42”/105 cm
White & polished brass fan finish
White cane/white blades
3 Light fixture with frosted glass
3 x 60 W, E 14 (not included)
Remote or wall control adaptable
Including reverse switch

Princess Trio



78199
42”/105 cm
Polished brass fan finish
Oak cane/mahogany
3 Light fixture with frosted glass
3 x 60 W, E 14 (not included)
Remote or wall control adaptable
Including reverse switch



Simplicity defines our Basic fan selection. Neutral colours and uncomplicated designs allow these ceiling fans to complement any room and style.

Basic



Vegas



72185
42”/105 cm
White fan finish
White/washed pine blades
Single light fixture with opal glass
1 x 60 W, E 27 (not included)
Remote or wall control adaptable
Including reverse switch

Vegas



72272
42”/105 cm
Brushed aluminum fan finish
Light maple/silver blades
Single light fixture with opal glass
1 x 60 W, E 27 (not included)
Remote or wall control adaptable
Including reverse switch

Portland Ambiance



78321
36”/90 cm
Chrome fan finish
White/black blades
Single light fixture with mushroom glass
1 x 60 W, E 27 (not included)
Remote or wall control adaptable
Including reverse switch



78322
36”/90 cm
Polished brass fan finish
Mahogany/oak blades
Single light fixture with mushroom glass
1 x 60 W, E 27 (not included)
Remote or wall control adaptable
Including reverse switch

Portland Ambiance

Turbo Swirl



78158
30”/76 cm
Titanium fan finish
Light maple blades
Single opal frosted disc light fixture
1 x 60 W, E 14 (not included)
Remote or wall control adaptable
Including reverse switch

Turbo II



78673
30”/76 cm
White fan finish
One set multi colour/one set white/ washed pine blades (both sets included)
Single light fixture with frosted glass
1 x 60W, E 14 (not included)
Remote or wall control adaptable
Including reverse switch



Hayden



78784
30”/76 cm
Chrome fan finish
Wengue/beech (MDF) blades
Single light fixture with opal frosted glass
1 x 60 W, E 27 (not included)
Remote or wall control adaptable
Including reverse switch

Industrial



78263
48”/122 cm
Chrome fan finish
Chrome (steel) blades
Remote or wall control adaptable
Including reverse switch

Industrial



72501
56”/142 cm
Silver fan finish
Silver (steel) blades
Includes wall control
and reverse switch

78623
56”/142 cm
Espresso fan finish
Espresso (steel) blades
Includes wall control
and reverse switch



Industrial

Industrial

72268
56”/142 cm
White fan finish
White (steel) blades
Includes wall control
and reverse switch





78238
42”/105 cm
White fan finish
White/washed pine blades
3 Spot light fixture
3 x 40 W, E 14 (not included)
Remote or wall control adaptable
Including reverse switch



Premier Odyssey



78337
48”/122 cm
White fan finish
White (steel) blades
Remote or wall control adaptable
Including reverse switch

Industrial



Finding the perfect fan is easy with our Design & Combine series. Customize this collection with our select line of Design & Combine colours and light kits to meet individual fan and lighting needs.

Design & Combine



Design & Combine Collection

InstaLoc
Revolutionary ceiling fan installation system

Apollo



72105
42”/105 cm
White fan finish
White/washed pine blades
Light kit adaptable
Remote or wall control adaptable
Including reverse switch



77703
White finish
3 Light fixture with frosted glass
Up and down reversible
3 x 40 Watt, E 27/ 3 x 7 Watt,
E 27, CFL, 3U (not included)



78528
White finish
3 Light fixture with opal frosted glass
3 x 60 Watt, E 14 (not included)



78531
White finish
Disc light with opal frosted glass
1 x 60 Watt, E 27 (not included)



78534
White finish
3 Spot light fixture
3 x 50 Watt, GU10 (included)

Design & Combine Collection



InstaLoc
Revolutionary ceiling fan installation system

Apollo

72122
42”/105 cm
Satin brass fan finish
Maple/mahogany blades
Light kit adaptable
Remote or wall control adaptable
Including reverse switch



77700
Satin brass finish
3 Light fixture with frosted glass
Up and down reversible
3 x 40 Watt, E 27/ 3 x 7 Watt,
E 27, CFL, 3U (not included)



78529
Satin brass finish
3 Light fixture with opal frosted glass
3 x 60 Watt, E 14 (not included)



78532
Satin brass finish
Disc light with opal frosted glass
1 x 60 Watt, E 27 (not included)




78535
Satin brass finish
3 Spot light fixture
3 x 50 Watt, GU10 (included)

Design & Combine Collection

InstaLoc
Revolutionary ceiling fan installation system

Apollo



72123
42”/105 cm
Brushed aluminum fan finish
Light maple/white blades
Light kit adaptable
Remote or wall control adaptable
Including reverse switch



77701
Brushed aluminum finish
3 Light fixture with frosted glass
Up and down reversible
3 x 40 Watt, E 27/ 3 x 7 Watt,
E 27, CFL, 3U (not included)



78530
Brushed aluminum finish
3 Light fixture with opal frosted glass
3 x 60 Watt, E 14 (not included)



78533
Brushed aluminum finish
Disc light with opal frosted glass
1 x 60 Watt, E 27 (not included)




78536
Brushed aluminum finish
3 Spot light fixture
3 x 50 Watt, GU10 (included)

Design & Combine Collection



InstaLoc
Revolutionary ceiling fan installation system

Apollo



72406
42”/105 cm
Dark pewter/chrome fan finish
Wengue/silver blades
Light kit adaptable
Remote or wall control adaptable
Including reverse switch



77702
Dark pewter/chrome finish
3 Light fixture with frosted glass,
up and down reversible
3 x 40 Watt, E 27/ 3 x 7 Watt,
E 27, CFL, 3U (not included)



72407
Dark pewter/chrome finish
3 Light fixture with opal frosted glass
3 x 60 Watt, E 14 (not included)



72409
Dark pewter/chrome finish
Disc light with opal frosted glass
1 x 60 Watt, E 27 (not included)




72410
Dark pewter/chrome finish
3 Spot light fixture
3 x 50 Watt, GU10 (included)

Down rods




Dark Pewter


Brushed Nickel



Satin Chrome


Titanium


Polished Brass


Brushed Aluminium


Chrome


Satin Brass


Antique Brass


White


Silver

For optimum performance, ceiling fan blades should be at least 7'/2.4 m from the floor but no higher than 8-9'/2.8 m in order to best cool a room.

For ceilings 9' and higher, an extension down rod is required to bring the ceiling fan down to the proper height above the floor.

Finish	Length	Item
Brushed aluminum	30,5 cm/12"	78867
Brushed aluminum	46 cm//18"	78868
Antique brass	30,5 cm/12"	78864
Antique brass	46 cm//18"	78865
Brushed nickel	30,5 cm/12"	65649
Brushed nickel	46 cm//18"	65650
Chrome	30,5 cm/12"	78885
Chrome	46 cm//18"	78886
Dark-pewter	30,5 cm/12"	65763
Dark-pewter	46 cm//18"	65764
Polished brass	30,5 cm/12"	78882
Polished brass	46 cm//18"	78883
Satin brass	30,5 cm/12"	78888
Satin brass	46 cm//18"	78889
Satin chrome	30,5 cm/12"	65646
Satin chrome	46 cm//18"	65647
Silver	30,5 cm/12"	65643
Silver	46 cm//18"	65644
Titanium	30,5 cm/12"	78870
Titanium	46 cm//18"	78871
White	30,5 cm/12"	78876
White	46 cm//18"	78877

Remote & Wall Controls





78792 (Display box with 8 pieces)
78095 (Single)
Infra-Red Remote Control
- *Suitable for use with all Westinghouse ceiling fans (except Hugger style)*
- *3-speed and off control for fan*
- *On/off control for light*
- *With light dimmer*



72266 (Display box with 8 pieces)
Radio Frequency Remote Control
- *Suitable for use with all Westinghouse ceiling fans (except Hugger style)*
- *3-speed and off control for fan*
- *On/off control for light*
- *With light dimmer*




78801
Wall Control
- *Suitable for use with all Westinghouse ceiling fans*
- *4-Speed and off control for fan*
- *On/off control for light*



78800
Wall Control
- *Suitable for use with all Westinghouse ceiling fans*
- *4-Speed and off control for fan*

Ceiling Fan Specifications

Model	Name	Diameter/Size (cm)	Fan Control	Remote/Wall Control Adaptable	Blade Pitch	Motor Size (mm)
72105	Design & Combine Apollo	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 12 mm
72122	Design & Combine Apollo	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 12 mm
72123	Design & Combine Apollo	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 12 mm
72152	Everett	52”/132 cm	Pull Chain	Wall Control Adaptable	11°	153 x 15 mm
72154	Everett	52”/132 cm	Pull Chain	Wall Control Adaptable	11°	153 x 15 mm
72161	Solana	48”/122 cm	Remote Control Included	Remote/Wall Control Adaptable	12°	153 x 17 mm
72185	Vegas	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	11°	153 x 9 mm
72199	Stiletto	48”/122 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 15 mm
72218	Splendor	48”/122 cm	Wall Control Included	Remote/Wall Control Adaptable	12°	153 x 17 mm
72219	Comet Tiffany II	52”/132 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 15 mm
72268	Industrial	56”/142 cm	Wall Control Included	Remote/Wall Control Adaptable	8°	172 x 12 mm
72272	Vegas	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	11°	153 x 9 mm
72289	Jet I	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	14°	153 x 12 mm
72290	Jet Plus	42”/105 cm	Remote Control Included	Remote/Wall Control Adaptable	14°	153 x 12 mm
72368	Jasmine	42”/105 cm	Remote Control Included	Remote/Wall Control Adaptable	12°	153 x 12 mm
72370	Saxton	42”/105 cm	Remote Control Included	Remote/Wall Control Adaptable	12°	153 x 12 mm
72406	Design & Combine Apollo	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 12 mm
72414	Princess Radiance	30”/76 cm	Pull Chain	Remote/Wall Control Adaptable	18°	153 x 12 mm
72485	Comet Tiffany	52”/132 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 15 mm
72501	Industrial	56”/142 cm	Wall Control Included	Remote/Wall Control Adaptable	8,5°	153 x 17 mm
72505	Celestia II	48”/122 cm	Remote Control Included	Remote/Wall Control Adaptable	12°	153 x 15 mm
72528	Trigona	48”/122 cm	Remote Control Included	Remote/Wall Control Adaptable	12°	153 x 15 mm
72530	Celestia	44”/112 cm	Remote Control Included	Remote Control Adaptable	12°	153 x 12 mm
72546	Havanna	52”/132 cm	Remote Control Included	Remote/Wall Control Adaptable	12°	153 x 15 mm
72557	Bendan	52”/132 cm	Remote Control Included	Remote/Wall Control Adaptable	12°	153 x 17 mm
72559	Arius	52”/132 cm	Remote Control Included	Remote/Wall Control Adaptable	12°	153 x 15 mm
72563	Venus	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 12 mm
78013	Fanaway	48”/122 cm	Remote Control Included	Remote Control Adaptable	-	153 x 15 mm
78017	Comet	52”/132 cm	Pull Chain	Remote/Wall Control Adaptable	11°	153 x 15 mm
78065	Kingston	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 12 mm
78155	Wave Form	52”/132 cm	Remote Control Included	Remote/Wall Control Adaptable	13°	153 x 20 mm



A Ceiling to bottom of blade
B Ceiling to bottom of switch housing
C Ceiling to bottom of canopy
D Width of motor housing
E Width of canopy
F Ceiling to bottom of light kit


All dimensions in cm


Wattage (excluding light)	RPM	Amps	Weight (kg)	Mount System	A	B	C	D	E	F
53/37/26	220/170/115	0.23/0.16/0.11	5,8 kg	*Dual Mount System	31	32	6	23	13	38
53/37/26	220/170/115	0.23/0.16/0.11	5,8 kg	*Dual Mount System	31	32	6	23	13	38
53/37/26	220/170/115	0.23/0.16/0.11	5,8 kg	*Dual Mount System	31	32	6	23	13	38
60/46/39	173/135/85	0.258/0.208/0.227	5,3 kg	***Hugger	20	18	-	29	-	32
60/46/39	173/135/85	0.258/0.208/0.227	5,3 kg	***Hugger	20	18	-	29	-	32
47.1/32.2/13.6	225/181/105	0.26/0.29/0.25	7,0 kg	**Down Rod	30	28	5	19	16	36
47.4/39.6/37	210/162/110	0.208/0.184/0.191	4,5 kg	*Dual Mount System	26	32	6	17	13	42
60/41/28	195/135/85	0.26/0.18/0.12	5,0 kg	*Dual Mount System	30	32	7	28	13	-
55/35/25	230/165/115	0.24/0.15/0.10	4,2 kg	**Down Rod	31	-	6	20	13	-
63/42/28	160/110/65	0.26/0.18/0.12	5,7 kg	*Dual Mount System	31	27	6	29	15	38
63/40/23/10	250/210/150/90	0.28/0.22/0.17/0.11	6,3 kg	**Down Rod	35	-	6	20	13	38
47.4/39.6/37	210/162/110	0.208/0.184/0.191	4,5 kg	*Dual Mount System	26	32	6	17	13	42
47.4/33.8/30.0	218/158/110	0.214/0.149/0.150	4,8 kg	**Down Rod	18	29	6	17	13	-
40/34/32	280/230/185	0.18/0.15/0.16	6,4 kg	**Down Rod	18	29	6	17	13	37
54/22/10	240/180/120	0.24/0.26/0.22	6,4 kg	**Down Rod	30	31	6	22	13	42
48/24/11	220/170/115	0.21/0.10/0.05	5,3 kg	**Down Rod	31	35	6	18	13	47
53/37/26	220/170/115	0.23/0.16/0.11	5,8 kg	*Dual Mount System	31	32	6	23	13	38
53/37/26	260/195/130	0.23/0.16/0.11	5,3 kg	*Dual Mount System	22	32	6	17	13	44
63/42/28	160/110/65	0.28/0.18/0.12	5,7 kg	*Dual Mount System	31	27	6	29	15	38
61.8/51.1/26.6/11.0	213/192/138/91	0.29/0.26/0.19/0.13	7,3 kg	**Down Rod	44	50	6	19	13	-
50.2/25.6/12	231/149/90	0.399/0.365/0.303	8,0 kg	***Hugger	24	28	12	25	15	35
55/34/20	230/157/76	0.25/0.16/0.10	7,5 kg	**Down Rod	29	35	6	22	13	38
51/33/19	225/150/65	0.23/0.15/0.10	7,2 kg	**Down Rod	23	27	12	25	15	35
45/20/8	165/120/70	0.21/0.23/0.18	8,5 kg	**Down Rod	27	30	6	25	13	34
20/35/60	175/124/80	0.25/0.29/0.26	7,6 kg	**Down Rod	26	31	6	26	13	38
59/35/20	178/110/51	0.24/0.18/0.01	9.5 kg	*Dual Mount System	27	33	6	28	13	42
54/37/26	210/160/100	0.24/0.16/0.11	5,9 kg	*Dual Mount System	27	34	6	23	13	44
52/23/11	255/185/130	0.22/0.19/0.16	11,8 kg	**Down Rod	27	-	5,5	48	13	40
58/40/26	180/130/80	0.25/0.18/0.12	8,0 kg	*Dual Mount System	31	-	6	29	15	38
55/35/26	230/168/110	0.23/0.16/0.11	6,2 kg	*Dual Mount System	33	31	6	24	13	38
45.6/23.7/10.2	195/135/81	0.2/0.14/0.1	8,6 kg	**Down Rod	29	-	6	25	15	36

Ceiling Fan Specifications

Model	Name	Diameter/Size (cm)	Fan Control	Remote/Wall Control Adaptable	Blade Pitch	Motor Size (mm)
78158	Turbo Swirl	30”/76 cm	Pull Chain	Remote/Wall Control Adaptable	18°	153 x 12 mm
78171	Monarch Trio	52”/132 cm	Pull Chain	Remote/Wall Control Adaptable	11°	153 x 15 mm
78174	Airplane	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 12 mm
78182	Comet	52”/132 cm	Pull Chain	Remote/Wall Control Adaptable	11°	153 x 15 mm
78199	Princess Trio	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	11°	153 x 10 mm
78238	Premier Odyssey	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	11°	153 x 12 mm
78263	Industrial	48”/122 cm	Pull Chain	Remote/Wall Control Adaptable	11°	172 x 10 mm
78321	Portland Ambiance	36”/90 cm	Pull Chain	Remote/Wall Control Adaptable	11°	153 x 10 mm
78322	Portland Ambiance	36”/90 cm	Pull Chain	Remote/Wall Control Adaptable	11°	153 x 10 mm
78324	Princess Trio	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 12 mm
78337	Industrial	48”/122 cm	Pull Chain	Remote/Wall Control Adaptable	11°	172 x 10 mm
78370	Cyclone	52”/132 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 15 mm
78425	Pearl	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 12 mm
78525	Audubon	48”/122 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 15 mm
78545	Hercules	52”/132 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 15 mm
78622	Princess Euro	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	11°	153 x 10 mm
78623	Industrial	56”/142 cm	Wall Control Included	Remote/Wall Control Adaptable	8,5°	153 x 17 mm
78655	Airplane II	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	11°	153 x 12 mm
78673	Turbo II	30”/76 cm	Pull Chain	Remote/Wall Control Adaptable	18°	153 x 12 mm
78753	Helix Fusion	52”/132 cm	Pull Chain	Remote/Wall Control Adaptable	12°	153 x 15mm
78763	Wengue	30”/76 cm	Pull Chain	Remote/Wall Control Adaptable	18°	153 x 10 mm
78764	Alloy	42”/105 cm	Pull Chain	Remote/Wall Control Adaptable	14°	153 x 12 mm
78784	Hayden	30”/76 cm	Pull Chain	Remote/Wall Control Adaptable	18°	153 x 10 mm
78788	Flora Royal	30”/76 cm	Pull Chain	Remote/Wall Control Adaptable	18°	153 x 12 mm
78997	Sydney	44”/112 cm	Pull Chain	Remote/Wall Control Adaptable	13°	153 x 10 mm
78998	Sydney	44”/112 cm	Pull Chain	Remote/Wall Control Adaptable	13°	153 x 10 mm

All models run summer and winter switch (except Fanaway model).





A Ceiling to bottom of blade
B Ceiling to bottom of switch housing
C Ceiling to bottom of canopy
D Width of motor housing
E Width of canopy
F Ceiling to bottom of light kit

All dimensions in cm

	Wattage (excluding light)	RPM	Amps	Weight (kg)	Mount System	A	B	C	D	E	F
	53/37/26	250/190/130	0.23/0.16/0.11	5,7 kg	*Dual Mount System	19	28	6	17	13	38
	58/40/26	175/120/75	0.25/0.18/0.12	6,5 kg	*Dual Mount System	25	38	6	25	13	40
	48/34/24	250/200/150	0.21/0.15/0.11	4,2 kg	*Dual Mount System	25	38	6	25	13	40
	58/40/26	180/130/80	0.25/0.18/0.12	8,0 kg	*Dual Mount System	31	-	6	29	15	38
	45/32/23	210/145/85	0.2/0.14/0.1	4,8 kg	*Dual Mount System	23	32	6	17	13	46
	45/32/23	200/135/80	0.2/0.14/0.1	5,0 kg	*Dual Mount System	24	31	6	17	13	46
	55/35/23	260/195/135	0.23/0.19/0.18	5,5 kg	**Down Rod	25	36	6	20	13	-
	44/30/21	250/190/110	0.19/0.12/0.1	4,3 kg	**Down Rod	15	30	6	15	13	43
	44/30/21	250/190/110	0.19/0.12/0.1	4,3 kg	**Down Rod	15	30	6	15	13	43
	45/32/23	210/145/85	0.2/0.14/0.1	5,0 kg	*Dual Mount System	23	32	6	17	13	46
	52/35/25	240/165/115	0.23/0.19/0.18	5,5 kg	**Down Rod	25	37	6	20	13	-
	58/40/26	180/130/80	0.25/0.18/0.12	6,3 kg	*Dual Mount System	29	34	6	28	13	-
	55/35/26	235/170/110	0.23/0.15/0.11	4,9 kg	*Dual Mount System	28	30	6	19	13	38
	52/35/25	240/165/115	0.26/0.18/0.12	6,0 kg	*Dual Mount System	29	30	6	22	13	39
	60/41/28	170/125/75	0.26/0.18/0.12	8,1 kg	*Dual Mount System	34	-	6	27	13	41
	44/33/34	220/150/85	0.2/0.14/0.1	5,0 kg	*Dual Mount System	26	31	6	17	13	40
	61.8/51.1/26.6/11.0	213/192/138/91	0.29/0.26/0.19/0.13	7,3 kg	**Down Rod	44	50	6	19	13	-
	43/30/26	200/145/85	0.19/0.13/0.09	5,2 kg	*Dual Mount System	28	34	6	25	13	41
	53/37/26	250/190/130	0.23/0.16/0.11	6,5 kg	*Dual Mount System	19	28	6	17	13	38
	58/40/26	175/125/80	0.25/0.18/0.12	7,7 kg	*Dual Mount System	26	30	6	27	13	44
	40/34/32	280/230/185	0.18/0.15/0.16	5,45 kg	**Down Rod	23	26	6	17	13	31
	47.4/33.8/30.0	218/158/110	0.214/0.149/0.150	6,5 kg	**Down Rod	18	28	6	17	13	30
	40/34/32	280/230/185	0.18/0.15/0.16	4,4 kg	**Down Rod	23	26	6	17	13	29
	54/38/27	240/180/120	0.23/0.17/0.12	5,3 kg	*Dual Mount System	22	-	6	17	13	38
	42.6/21.3/8.1	210/162/93	0.19/0.13/0.08	7,1 kg	*Dual Mount System	29	33	6	17	13	-
	42.6/21.3/8.1	210/162/93	0.19/0.13/0.08	7,1 kg	*Dual Mount System	29	33	6	17	13	-

***Dual Mount System:**
These versatile ceiling fans may be installed with or without the extension down rods which are included in the packaging. This flexibility allows you to install the fan either close to the ceiling or at a lower level in rooms with higher ceilings.

**** Down Rod:**
Down rod ceiling fans must be installed with the down rod which is included in the packaging. You may replace the down rod with ones featuring a length between 12”/30,5 cm or 18”/46 cm.

*****Hugger:**
Specially designed for rooms with lower ceilings, hugger fans can not be installed with a down rod.

Index

Ceiling Fans

72105 Design & Combine Apollo 38
72122 Design & Combine Apollo 39
72123 Design & Combine Apollo 40
72152 Everett 27
72154 Everett 27
72161 Solana 9
72185 Vegas 32
72199 Stiletto 22
72218 Splendor 11
72219 Comet Tiffany II 28
72268 Industrial 36
72272 Vegas 32
72289 Jet I 12
72290 Jet Plus 12
72368 Jasmine 29
72370 Saxton 11
72406 Design & Combine Apollo 41
72414 Princess Radiance 29
72485 Comet Tiffany 28
72501 Industrial 35
72505 Celestia II 14
72528 Trigona 13
72530 Celestia 14
72546 Havanna 13
72557 Bendan 15
72559 Arius 15
72563 Venus 23
78013 Fanaway 9
78017 Comet 25
78065 Kingston 22
78155 Wave Form 16
78158 Turbo Swirl 34
78171 Monarch Trio 30
78174 Airplane 17
78182 Comet 25
78199 Princess Trio 30
78238 Premier Odyssey 36
78263 Industrial 35
78321 Portland Ambiance 33
78322 Portland Ambiance 33
78324 Princess Trio 30
78337 Industrial 36
78370 Cyclone 23
78425 Pearl 24
78525 Audubon 16
78545 Hercules 18
78622 Princess Euro 24
78623 Industrial 35
78655 Airplane II 17
78673 Turbo II 34
78753 Helix Fusion 18
78763 Wengue 19
78764 Alloy 19
78784 Hayden 34
78788 Flora Royal 17
78997 Sydney 20
78998 Sydney 20

Design & Combine Light Kits

72407 Dark pewter/chrome finish 41
72409 Dark pewter/chrome finish 41
72410 Dark pewter/chrome finish 41
77700 Satin brass finish 39
77701 Brushed aluminum finish 40
77702 Dark pewter/chrome finish 41
77703 White finish 38
78528 White finish 38
78529 Satin brass finish 39
78530 Brushed aluminum finish 40
78531 White finish 38
78532 Satin brass finish 39
78533 Brushed aluminum finish 40
78534 White finish 38
78535 Satin brass finish 39
78536 Brushed aluminum finish 40

Fan Accessories

Downrods

65643 Silver; 30,5 cm/12" 42
65644 Silver; 46 cm/18" 42
65646 Satin chrome; 30,5 cm/12" 42
65647 Satin chrome; 46 cm/18" 42
65649 Brushed nickel; 30,5 cm/12" 42
65650 Brushed nickel; 46 cm/18" 42
65763 Dark-pewter; 30,5 cm/12" 42
65764 Dark-pewter; 46 cm/18" 42
78864 Antique brass; 30,5 cm/12" 42
78865 Antique brass; 46 cm/18" 42
78867 Brushed aluminum; 30,5 cm/12" ... 42
78868 Brushed aluminum; 46 cm/18" 42
78870 Titanium; 30,5 cm/12" 42
78871 Titanium; 46 cm/18" 42
78876 White; 30,5 cm/12" 42
78877 White; 46 cm/ 18" 42
78882 Polished brass; 30,5 cm/12" 42
78883 Polished brass; 46 cm/18" 42
78885 Chrome; 30,5 cm/12" 42
78886 Chrome; 46 cm/18" 42
78888 Satin brass; 30,5 cm/12" 42
78889 Satin brass; 46 cm/18" 42

Remote & Wall Controls

72266 Radio Frequency Remote Control 43
78095 Infrared Remote Control 43
78792 Infrared Remote Control 43
78800 Wall Control 43
78801 Wall Control 43



Westinghouse

Westinghouse Lighting Corporation, a Westinghouse Electric Corporation licensee
Krefelder Strasse 562, D-41066 Mönchengladbach, Germany
Tel.: (0049)-(0)-2161-57307-0

International Headquarters
12401 McNulty Road, Philadelphia, Pennsylvania U.S.A. 19154-1029
Tel. - (215) 671-2000, Fax. - (215) 671-2057
www.westinghouselighting.com

Westinghouse Lighting Corporation, a Westinghouse Electric Corporation licensee
Westinghouse" and "You can be sure...if it's Westinghouse"are all registered trademarks of Westinghouse Electric Corporation

©2011 WESTINGHOUSE LIGHTING CORPORATION / 0211
www.westinghouselighting.eu

